## 2024

# Sheerview Shadings







## TABLE OF CONTENTS

.

1 . . . .

| SHEERVIEW SHADINGS FEATURES                    | 1     |
|--|-------|
| AVAILABLE COLORS                               | 2-4   |
| CHILD SAFETY INFORMATION                       | 5     |
| BRACKETS, HEADRAIL AND BOTTOM RAIL INFORMATION | 6     |
| PRODUCT DIAGRAMS                               | 7-9   |
| MOTORIZED WAND AND REMOTE PRICING              | 10    |
| PRICING GRIDS - MSRP                           | 11-17 |
| MEASURING                                      | 18-19 |
| PRODUCT OPERATION                              | 20    |
| PROGRAMMING INFORMATION                        | 21    |
| IMPORTANT ORDERING INFORMATION                 | 22    |
| MANUFACTURER'S TERMS AND CONDITIONS            | 23    |
| WARRANTY                                       | 24    |

### SHEERVIEW SHADINGS FEATURES



- A shade of unique beauty and performance for the finishing touch to your window and room.
- Horizontal fabric vanes float between two layers of soft, knitted sheers to enlighten your view.
- New vane fabrics feature a softer look for your windows.
- Available in widths up to 108" (Woven Fabric) and 116" (Non-Woven Fabric), and drops to lengths of 144" to lend elegance to the widest of windows.
- Vanes glide from open to closed to out-of-sight with graceful, efficient hardware.
- The SHEERVIEW SHADINGS control system provides distinct variations of vane positions for any combination of privacy, view and light control.

- An adjustable weight system hidden in the bottom rail allows for on-the-spot adjustment to lend a balanced appearance in the window.
- Color coordinated, fabric wrapped headrail styles offer a sophisticated look.
- All Inside Mounted (IB) Shades will have a light gap on the left and right side. The side with the controls will have a slightly larger light gap.
- Easy to install hardware and brackets allow for effortless setup and easy removal for cleaning.
- SHEERVIEW SHADINGS can be ultrasonically or traditionally cleaned to stay bright and beautiful.

### AVAILABLE COLORS PRINTED AND SOLID TONES

|         |  |  | <b>D = Room Darkening</b> Vane - Color suffix                |
|---------|--|--|--|
| 50mm    | = 2" Vanes   65mm = 2.5" Van                                 | es   70mm = 3" Vanes   | KN = Woven Sheer Vane (*)                                    |
| PRINTE  | D TONES  |  |  |
|         |  |  |  |
|         | HEATHER<br>S65BN311  | BLOSSOM<br>S65BN206  | BLUSH<br>S65BN312  |
|         |  |  |  |
|         | BEIGE<br>S65BN322  | WATERFALL<br>S65BN627  | GRANITE<br>S65BN823  |
| SOLID 1 | TONES  |  |  |
|         |  |  |  |
|         | BRIGHT WHITE<br>S50PN100 / S70PN100<br>S50PN100D / S70PN100D | ALABASTER<br>S50PN112 / S70PN112   | WINTER WHITE<br>S50KN113* / S70KN113*<br>S50PN113 / S70PN113 |
|         |  |  |  |
|         | LUNA<br>S70PN126   | BEIGE<br>S50KN322* / S70KN322<br>S50PN322 / S70PN32<br>S50PN322D / S70PN32 | 2 S50PN206 / S70PN206  |

S50PN322D / S70PN322D

### AVAILABLE COLORS SOLID TONES

| 50mm = 2" Vanes   65mm = 2.5" Vanes                              | <b>70mm = 3</b> " Vanes                                 | <b>D = Room Darkening</b> Vane - Color suffix<br><b>KN = Woven Sheer</b> Vane ( <b>*</b> ) |  |  |  |  |  |  |  |  |  |  |
|--|---|--|--|--|--|--|--|--|--|--|--|--|
| SOLID TONES  |   |  |  |  |  |  |  |  |  |  |  |  |
|  |   |  |  |  |  |  |  |  |  |  |  |  |
| ROMANCE<br>S70PN323  | LINEN<br>S50KN125* / S70KN125*<br>S50PN125D / S70PN125D | COASTAL PLAIN<br>S70PN503  |  |  |  |  |  |  |  |  |  |  |
|  |   |  |  |  |  |  |  |  |  |  |  |  |
| CELADON<br>S70PN517  | SESAME<br>S50PN302 / S70PN302                           | PLANK<br>S70PN371  |  |  |  |  |  |  |  |  |  |  |
|  |   |  |  |  |  |  |  |  |  |  |  |  |
| JAVA<br>S50KN378* / S70KN378*<br>S50PN378 / S70PN37<br>S70PN378D | BRICK<br>S70PN334D                                      | GRANITE<br>S50KN823* / S70KN823*<br>S50PN823 / S70PN823<br>S50PN823D / S70PN823D           |  |  |  |  |  |  |  |  |  |  |
|  |   |  |  |  |  |  |  |  |  |  |  |  |
| RHINESTONE<br>S70PN824   | DUSTY BLUE<br>S70PN821                                  | ROYAL BLUE<br>S70PN029D  |  |  |  |  |  |  |  |  |  |  |

### AVAILABLE COLORS SOLID TONES

50mm = 2" Vanes | 65mm = 2.5" Vanes | 70mm = 3" Vanes

D = Room Darkening Vane - Color suffix KN = Woven Sheer Vane (\*)

#### SOLID TONES



### CHILD SAFETY INFORMATION

#### THE MANUFACTURER IS COMMITTED TO CHILD SAFETY REGARDING WINDOW COVERINGS

The Manufacturer has committed to join the Window Covering Manufacturers Association's new safety standards in the efforts to prevent accidents involving children and pets with accessible cords and by offering other product options that are child-safe custom window coverings.

#### "BEST FOR KIDS" CERTIFIED PROGRAM

Window Covering Manufacturers Association (WCMA) announced the industry's first third-party certification program designed to help consumers and retailers identify window covering products that are best suited for use in homes with young children.

To be part of the new Best for Kids program, products are submitted to a WCMA-recognized third party testing laboratory where the products are required to meet stringent criteria. Once the products meet these criteria, they are Certified Best For Kids. The Manufacturer has a number of products with this distinction.




#### CHILD SAFETY IS SERIOUS BUSINESS

That's why the Manufacturer is removing all cords from products, in compliance with the Consumer Product Safety Commission's new guidelines for child-safe window treatments. A variety of control options, including the Safety Wand, traditional cordless control, and motorization, are available, providing the same convenience while making safety a top priority.

For more information on the CPSC's new guidelines and the Manufacturer's compliance with them, please visit: lantexusa.com or federalregister.gov/documents/2022/11/28/2022-25041/safety-standard-for-operating-cords-on-customwindow-coverings.


#### OUR SOLUTION

The new Safe Wand control system, introduced in compliance with the CPSC's new guidelines for child safety, offers superior safety without compromising on convenience.







### BRACKETS, HEADRAIL AND BOTTOM RAIL INFORMATION




### CONTINUOUS CORD OR SAFE WAND SHEERVIEW SHADINGS



### CORDLESS SHEERVIEW SHADINGS



### MOTORIZED SHEERVIEW SHADINGS



### AVAILABLE IN TWO MOTOR OPTIONS MOTORIZED WAND / REMOTE CONTROL

### TECHNOLOGY THAT ENHANCES THE LIVING SPACE

OPTION 1: Rechargeable Motor with Wand Control OPTION 2: Rechargeable Motor with Radio remote Chip and Wand Control

- Easy Installation with no Hard Wiring
- Long Lasting Lithium Ion Battery
- Simple UP/DOWN/STOP Control Buttons
- Micro USB for Charging the Battery

| WANDS                                | MSRP COST |  |  |  |  |  |  |  |  |  |
|--------------------------------------|-----------|--|--|--|--|--|--|--|--|--|
| Replacement Wand                     | \$176     |  |  |  |  |  |  |  |  |  |
| CHARGING BRICK & USB CABLE           |           |  |  |  |  |  |  |  |  |  |
| Charging Brick &<br>Micro Cable - 6' | \$65      |  |  |  |  |  |  |  |  |  |
|                                      |           |  |  |  |  |  |  |  |  |  |



#### **REMOTE CONTROL - OPTIONAL**

(Must order motor with radio remote chip)

- Radio remote
- Control your shade with a single-channel or multichannel remote from up to 100 feet away, with up to 20 shades per channel
- Remote attaches to backplate via magnets to mount in convenient location
- No pull cords for superior child and pet safety
- Sleek, modern design fits any decor

| REMOTE         | MSRP COST |
|----------------|-----------|
| Single Channel | \$127     |
| Multi-Channel  | \$159     |



Single Channel

Shades 93" or wider incur an additional net \$110.00 charge per box for each order (maximum 2

shades per box).

Heather (S65BN311), Blossom (S65BN206), Blush (S65BN312), Beige (S65BN322), Waterfall (S65BN627), Granite (S65BN823)

### 2.5" SHEER SHADE - NON WOVEN | PRINTED

Smallest width available 7.5" exact for manual shade Smallest width available 24" exact for Motorized shade

| Height | Width Up To |      |      |      |      |      |      |      |      |      |      |      |      |
|--------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|
| Up To  | 24″         | 32″  | 36"  | 42"  | 48″  | 54"  | 60"  | 66"  | 72″  | 84"  | 96"  | 108″ | 116" |
| 36"    | 509         | 568  | 627  | 684  | 744  | 804  | 860  | 923  | 1067 | 1189 | 1310 | 1440 | 1655 |
| 42"    | 534         | 597  | 659  | 728  | 788  | 858  | 923  | 986  | 1135 | 1266 | 1397 | 1536 | 1765 |
| 48"    | 564         | 627  | 698  | 766  | 838  | 909  | 985  | 1056 | 1209 | 1346 | 1491 | 1639 | 1885 |
| 54"    | 583         | 658  | 733  | 810  | 889  | 965  | 1047 | 1129 | 1280 | 1427 | 1589 | 1748 | 2010 |
| 60"    | 607         | 693  | 772  | 853  | 931  | 1019 | 1107 | 1195 | 1341 | 1516 | 1690 | 1860 | 2139 |
| 66"    | 632         | 720  | 809  | 895  | 986  | 1079 | 1178 | 1268 | 1415 | 1609 | 1798 | 1978 | 2274 |
| 72"    | 659         | 752  | 845  | 939  | 1037 | 1139 | 1244 | 1341 | 1491 | 1692 | 1899 | 2089 | 2401 |
| 78"    | 674         | 777  | 876  | 976  | 1080 | 1188 | 1295 | 1405 | 1558 | 1777 | 1990 | 2189 | 2517 |
| 84"    | 702         | 809  | 910  | 1024 | 1136 | 1247 | 1368 | 1478 | 1637 | 1872 | 2096 | 2306 | 2652 |
| 90"    | 731         | 838  | 949  | 1069 | 1187 | 1313 | 1428 | 1551 | 1713 | 1960 | 2201 | 2420 | 2784 |
| 96"    | 756         | 874  | 989  | 1113 | 1244 | 1368 | 1497 | 1621 | 1793 | 2052 | 2303 | 2533 | 2913 |
| 102"   | 858         | 986  | 1117 | 1254 | 1384 | 1508 | 1676 | 1842 | 1965 | 2225 | 2479 | 2728 | 3137 |
| 108"   | 901         | 1035 | 1172 | 1319 | 1452 | 1585 | 1762 | 1932 | 2062 | 2338 | 2608 | 2869 | 3299 |
| 114"   | 954         | 1098 | 1241 | 1397 | 1545 | 1684 | 1867 | 2052 | 2189 | 2479 | 2766 | 3043 | 3497 |
| 120"   | 1019        | 1170 | 1331 | 1493 | 1643 | 1798 | 1994 | 2189 | 2339 | 2653 | 2955 | 3250 | 3738 |
| 132"   | 1172        | 1345 | 1530 | 1717 | 1890 | 2069 | 2292 | 2517 | 2691 | 3050 | 3398 | 3738 | 4299 |
| 144"   | 1347        | 1546 | 1760 | 1974 | 2173 | 2378 | 2638 | 2895 | 3094 | 3507 | 3908 | 4298 | 4943 |

#### VALANCE SURCHARGES

| SYSTEMS UPGRADE RETAIL SURCHARGES          | Min Width  | Max Width  | Max Height |
|--|------------|------------|------------|
| Safe Wand system: \$60                     | 7.5 inches | 116 inches | 144 inches |
| Cordless system: \$106                     | 20 inches  | 84 inches  | 84 inches  |
| Motorization includes Wand: \$286          | 24 inches  | 116 inches | 144 inches |
| Motorization using Remote: \$530           |            |            |            |
| Single Channel Radio Remote Control: \$127 |            |            |            |
| Multi-Channels Radio Remote Control: \$159 |            |            |            |
| USB 6' Cable with Charger: \$65            |            |            |            |
| Replacement Safe wand: \$176               |            |            |            |
| WiFi Bridge: \$778                         |            |            |            |
| WiFi Hub Stick: \$430                      |            |            |            |

Smallest width available 7.5" exact for a manual SHEERVIEW SHADINGS. Smallest width available 24" exact for Motorized E-Series SHEERVIEW SHADINGS. Fabric Wrapped Headrail comes standard unless asked otherwise.

Shades 93" or wider incur an additional net \$110.00 charge per box for each order (maximum 2 shades per box).

SUGGESTED RETAIL PRICE

Bright White (S50PN100), Alabaster (S50PN112), Winter White (S50PN113), Beige (S50PN322), Blossom (S50PN206), Sesame (S50PN302), Java (S50PN378), Granite (S50PN823),

### 2" SHEER SHADE - NON WOVEN | SOLID

Smallest width available 7.5" exact for manual shade Smallest width available 24" exact for Motorized shade

| Height | Width L | Јр То |      |      |      |      |      |      |      |      |                |      |      |
|--------|---------|-------|------|------|------|------|------|------|------|------|----------------|------|------|
| Up To  | 24"     | 32"   | 36"  | 42"  | 48"  | 54"  | 60"  | 66"  | 72″  | 84"  | 96"            | 108″ | 116" |
| 36"    | 443     | 493   | 545  | 595  | 647  | 699  | 748  | 802  | 928  | 1035 | 1138           | 1251 | 1440 |
| 42"    | 465     | 519   | 573  | 632  | 685  | 746  | 802  | 858  | 986  | 1101 | 1214           | 1335 | 1535 |
| 48"    | 491     | 545   | 607  | 666  | 729  | 790  | 857  | 920  | 1051 | 1170 | 1296           | 1426 | 1639 |
| 54"    | 507     | 572   | 636  | 704  | 773  | 840  | 909  | 982  | 1113 | 1242 | 1382           | 1521 | 1748 |
| 60"    | 529     | 602   | 670  | 741  | 810  | 887  | 963  | 1039 | 1166 | 1318 | 1471           | 1618 | 1860 |
| 66"    | 550     | 627   | 703  | 779  | 858  | 938  | 1023 | 1103 | 1231 | 1399 | 1563           | 1720 | 1978 |
| 72″    | 573     | 655   | 735  | 816  | 903  | 991  | 1082 | 1166 | 1296 | 1473 | 1651           | 1816 | 2089 |
| 78"    | 586     | 676   | 763  | 848  | 939  | 1034 | 1125 | 1221 | 1355 | 1545 | 1730           | 1903 | 2188 |
| 84"    | 612     | 703   | 791  | 891  | 987  | 1085 | 1190 | 1285 | 1424 | 1628 | 1823           | 2005 | 2305 |
| 90"    | 635     | 729   | 825  | 929  | 1032 | 1141 | 1243 | 1349 | 1490 | 1705 | 1914           | 2106 | 2420 |
| 96"    | 658     | 761   | 860  | 968  | 1082 | 1190 | 1301 | 1409 | 1559 | 1783 | 2003           | 2203 | 2533 |
| 102"   | 746     | 858   | 971  | 1091 | 1204 | 1312 | 1458 | 1601 | 1708 | 1935 | 2155           | 2372 | 2727 |
| 108"   | 783     | 900   | 1019 | 1147 | 1262 | 1377 | 1532 | 1681 | 1794 | 2033 | 2268           | 2495 | 2869 |
| 114"   | 829     | 953   | 1080 | 1214 | 1345 | 1464 | 1624 | 1783 | 1903 | 2155 | 2405           | 2645 | 3042 |
| 120″   | 887     | 1017  | 1157 | 1298 | 1429 | 1563 | 1735 | 1903 | 2035 | 2306 | 2570           | 2826 | 3250 |
| 132″   | 1019    | 1170  | 1331 | 1493 | 1643 | 1798 | 1994 | 2189 | 2339 | 2653 | 2955           | 3250 | 3738 |
| 144"   | 1172    | 1345  | 1530 | 1717 | 1890 | 2069 | 2292 | 2517 | 2691 | 3050 | 3398           | 3738 | 4299 |
|        |         |       |      |      |      |      |      |      |      |      | es 93" or wide |      |      |

### VALANCE SURCHARGES

box for each order (maximum 2 shades per box). 25 35 45 55 65 75 85 95 105 115 125 135 145 Square Valance Height 3.375"

| SYSTEMS UPGRADE RETAIL SURCHARGES          | Min Width  | Max Width  | Max Height |
|--|------------|------------|------------|
| Safe Wand system: \$60                     | 7.5 inches | 116 inches | 144 inches |
| Cordless system: \$106                     | 20 inches  | 84 inches  | 84 inches  |
| Motorization includes Wand: \$286          | 24 inches  | 116 inches | 144 inches |
| Motorization using Remote: \$530           |            |            |            |
| Single Channel Radio Remote Control: \$127 |            |            |            |
| Multi-Channels Radio Remote Control: \$159 |            |            |            |
| USB 6' Cable with Charger: \$65            |            |            |            |
| Replacement Safe wand: \$176               |            |            |            |
| WiFi Bridge: \$778                         |            |            |            |
| WiFi Hub Stick: \$430                      |            |            |            |

Smallest width available 7.5" exact for a manual SHEERVIEW SHADINGS. Smallest width available 24" exact for Motorized E-Series SHEERVIEW SHADINGS. Fabric Wrapped Headrail comes standard unless asked otherwise.

Shades 93" or wider incur an additional net \$110.00 charge per box for each order (maximum 2 shades per box).

additional net \$110.00 charge per

box for each order (maximum 2

shades per box).

Bright White (S70PN100), Alabaster (S70PN112), Winter White (S70PN113), Luna (S70PN126), Beige (S70PN322), Blossom (S70PN206), Romance (S70PN323), Coastal Plain (S70PN503), Celadon (S70PN517), Sesame (S70PN302), Plank (S70PN371), Java (S70PN378), Granite (S70PN823), Rhinestone (S70PN824), Dusty Blue (S70PPN821),

### 3" SHEER SHADE - NON WOVEN | SOLID

Smallest width available 7.5" exact for manual shade Smallest width available 24" exact for Motorized shade

| Height | Width Up To |      |      |      |      |      |      |      |      |      |        |                                    |             |
|--------|-------------|------|------|------|------|------|------|------|------|------|--------|------------------------------------|-------------|
| Up To  | 24"         | 32″  | 36"  | 42"  | 48"  | 54"  | 60"  | 66"  | 72″  | 84"  | 96"    | 108"                               | 116"        |
| 36"    | 500         | 554  | 613  | 668  | 728  | 787  | 842  | 903  | 1044 | 1163 | 1280   | 1408                               | 1619        |
| 42"    | 521         | 585  | 645  | 711  | 772  | 839  | 903  | 965  | 1111 | 1239 | 1366   | 1504                               | 1728        |
| 48"    | 553         | 614  | 683  | 749  | 820  | 890  | 963  | 1034 | 1182 | 1316 | 1457   | 1603                               | 1843        |
| 54"    | 571         | 644  | 716  | 793  | 869  | 943  | 1022 | 1104 | 1251 | 1395 | 1556   | 1711                               | 1968        |
| 60"    | 595         | 678  | 753  | 833  | 910  | 996  | 1084 | 1169 | 1312 | 1482 | 1654   | 1821                               | 2093        |
| 66"    | 617         | 704  | 792  | 877  | 965  | 1055 | 1153 | 1242 | 1384 | 1572 | 1759   | 1935                               | 2224        |
| 72"    | 645         | 736  | 826  | 918  | 1016 | 1116 | 1215 | 1312 | 1457 | 1657 | 1858   | 2042                               | 2348        |
| 78"    | 659         | 762  | 858  | 953  | 1056 | 1163 | 1267 | 1373 | 1524 | 1739 | 1947   | 2142                               | 2462        |
| 84"    | 688         | 792  | 890  | 1002 | 1111 | 1219 | 1338 | 1446 | 1601 | 1831 | 2052   | 2256                               | 2594        |
| 90"    | 715         | 820  | 928  | 1047 | 1162 | 1284 | 1398 | 1518 | 1676 | 1918 | 2152   | 2367                               | 2723        |
| 96"    | 739         | 855  | 968  | 1089 | 1215 | 1339 | 1464 | 1586 | 1754 | 2007 | 2254   | 2480                               | 2851        |
| 102″   | 839         | 966  | 1092 | 1229 | 1355 | 1475 | 1640 | 1800 | 1921 | 2177 | 2425   | 2667                               | 3067        |
| 108″   | 880         | 1014 | 1146 | 1291 | 1420 | 1551 | 1723 | 1890 | 2019 | 2288 | 2550   | 2805                               | 3226        |
| 114"   | 933         | 1073 | 1214 | 1366 | 1511 | 1647 | 1828 | 2005 | 2141 | 2425 | 2705   | 2976                               | 3421        |
| 120″   | 998         | 1142 | 1300 | 1461 | 1607 | 1759 | 1951 | 2141 | 2288 | 2594 | 2890   | 3179                               | 3657        |
| 132″   | 1146        | 1314 | 1495 | 1681 | 1849 | 2023 | 2243 | 2462 | 2630 | 2983 | 3324   | 3656                               | 4204        |
| 144"   | 1318        | 1511 | 1720 | 1932 | 2126 | 2326 | 2581 | 2832 | 3026 | 3431 | 3823   | 4203                               | 4836        |
|        |             |      |      |      |      |      |      |      |      |      | additi | es 93" or wide<br>onal net \$110.0 | 0 charge pe |

### VALANCE SURCHARGES

| Architectural<br>Square Valance 25 35 45 55 65 | 75 85 | 95 105 | 115 | 125 | 135 | 145 |  |
|--|-------|--------|-----|-----|-----|-----|--|
|--|-------|--------|-----|-----|-----|-----|--|

| SYSTEMS UPGRADE RETAIL SURCHARGES          | Min Width  | Max Width  | Max Height |
|--|------------|------------|------------|
| Safe Wand system: \$60                     | 7.5 inches | 116 inches | 144 inches |
| Cordless system: \$106                     | 20 inches  | 84 inches  | 84 inches  |
| Motorization includes Wand: \$286          | 24 inches  | 116 inches | 144 inches |
| Motorization using Remote: \$530           |            |            |            |
| Single Channel Radio Remote Control: \$127 |            |            |            |
| Multi-Channels Radio Remote Control: \$159 |            |            |            |
| USB 6' Cable with Charger: \$65            |            |            |            |
| Replacement Safe wand: \$176               |            |            |            |
| WiFi Bridge: \$778                         |            |            |            |
| WiFi Hub Stick: \$430                      |            |            |            |

Smallest width available 7.5" exact for a manual SHEERVIEW SHADINGS. Smallest width available 24" exact for Motorized E-Series SHEERVIEW SHADINGS. Fabric Wrapped Headrail comes standard unless asked otherwise.

Shades 93" or wider incur an additional net \$110.00 charge per box for each order (maximum 2 shades per box).

Winter White (S50KN113), Beige (S50KN322), Blossom (S50KN206), Linen (S50KN125), Java (S50KN378), Granite (S50KN823)

### 2" SHEER SHADE - WOVEN | SOLID

Smallest width available 7.5" exact for manual shade Smallest width available 24" exact for Motorized shade

| Height | Width L | Width Up To |      |      |      |      |      |      |      |      |      |                |      |
|--------|---------|-------------|------|------|------|------|------|------|------|------|------|----------------|------|
| Up To  | 24"     | 32"         | 36"  | 42"  | 48"  | 54"  | 60"  | 66"  | 72″  | 84"  | 96"  | 108″           | 116" |
| 36"    | 466     | 519         | 572  | 625  | 680  | 734  | 785  | 842  | 975  | 1087 | 1195 | 1314           | 1511 |
| 42"    | 487     | 545         | 602  | 664  | 719  | 783  | 842  | 901  | 1035 | 1156 | 1276 | 1403           | 1612 |
| 48"    | 517     | 572         | 638  | 699  | 765  | 829  | 900  | 966  | 1103 | 1229 | 1360 | 1497           | 1721 |
| 54"    | 533     | 600         | 668  | 740  | 811  | 881  | 954  | 1031 | 1169 | 1303 | 1452 | 1596           | 1835 |
| 60"    | 555     | 632         | 704  | 779  | 852  | 930  | 1011 | 1091 | 1225 | 1384 | 1544 | 1699           | 1952 |
| 66"    | 577     | 659         | 739  | 817  | 901  | 984  | 1074 | 1158 | 1293 | 1470 | 1641 | 1806           | 2077 |
| 72″    | 602     | 687         | 772  | 857  | 947  | 1040 | 1136 | 1225 | 1360 | 1546 | 1734 | 1907           | 2193 |
| 78"    | 615     | 710         | 801  | 891  | 985  | 1086 | 1182 | 1282 | 1423 | 1622 | 1816 | 1999           | 2298 |
| 84"    | 643     | 739         | 830  | 935  | 1037 | 1139 | 1249 | 1350 | 1495 | 1709 | 1914 | 2105           | 2420 |
| 90"    | 667     | 765         | 865  | 976  | 1083 | 1198 | 1305 | 1416 | 1565 | 1790 | 2009 | 2211           | 2542 |
| 96"    | 691     | 799         | 904  | 1017 | 1136 | 1249 | 1366 | 1479 | 1637 | 1874 | 2102 | 2313           | 2660 |
| 102″   | 783     | 901         | 1020 | 1146 | 1264 | 1377 | 1530 | 1682 | 1794 | 2031 | 2264 | 2491           | 2864 |
| 108"   | 823     | 945         | 1070 | 1205 | 1325 | 1446 | 1609 | 1764 | 1883 | 2135 | 2381 | 2620           | 3012 |
| 114"   | 872     | 1001        | 1134 | 1276 | 1411 | 1539 | 1706 | 1874 | 1999 | 2264 | 2525 | 2778           | 3193 |
| 120"   | 930     | 1068        | 1215 | 1363 | 1501 | 1641 | 1821 | 1999 | 2136 | 2422 | 2697 | 2968           | 3413 |
| 132″   | 1070    | 1229        | 1398 | 1568 | 1725 | 1887 | 2094 | 2300 | 2457 | 2785 | 3102 | 3413           | 3925 |
| 144"   | 1231    | 1411        | 1606 | 1802 | 1984 | 2171 | 2408 | 2643 | 2825 | 3203 | 3567 | 3925           | 4515 |
|        |         |             |      |      |      |      |      |      |      |      |      | es 93" or wide |      |

### VALANCE SURCHARGES

box for each order (maximum 2 shades per box). 25 35 45 55 65 75 85 95 105 115 125 135 145 Square Valance Height 3.375"

| SYSTEMS UPGRADE RETAIL SURCHARGES          | Min Width  | Max Width  | Max Height |
|--|------------|------------|------------|
| Safe Wand system: \$60                     | 7.5 inches | 116 inches | 144 inches |
| Cordless system: \$106                     | 20 inches  | 84 inches  | 84 inches  |
| Motorization includes Wand: \$286          | 24 inches  | 116 inches | 144 inches |
| Motorization using Remote: \$530           |            |            |            |
| Single Channel Radio Remote Control: \$127 |            |            |            |
| Multi-Channels Radio Remote Control: \$159 |            |            |            |
| USB 6' Cable with Charger: \$65            |            |            |            |
| Replacement Safe wand: \$176               |            |            |            |
| WiFi Bridge: \$778                         |            |            |            |
| WiFi Hub Stick: \$430                      |            |            |            |

Smallest width available 7.5" exact for a manual SHEERVIEW SHADINGS. Smallest width available 24" exact for Motorized E-Series SHEERVIEW SHADINGS. Fabric Wrapped Headrail comes standard unless asked otherwise.

Shades 93" or wider incur an additional net \$110.00 charge per box for each order (maximum 2 shades per box).

additional net \$110.00 charge per

Winter White (S70KN113), Beige (S70KN322), Blossom (S70KN206), Linen (S70KN125), Java (S70KN378), Granite (S70KN823)

### 3" SHEER SHADE - WOVEN | SOLID

Smallest width available 7.5" exact for manual shade Smallest width available 24" exact for Motorized shade

| Height | Width U | Width Up To |      |      |      |      |      |      |      |      |                  |   |              |
|--------|---------|-------------|------|------|------|------|------|------|------|------|------------------|---|--------------|
| Up To  | 24″     | 32″         | 36"  | 42"  | 48"  | 54"  | 60"  | 66"  | 72″  | 84"  | 96"              | 108″  | 116"         |
| 36"    | 524     | 581         | 644  | 701  | 764  | 826  | 885  | 947  | 1097 | 1221 | 1344             | 1478  | 1700         |
| 42"    | 547     | 614         | 677  | 746  | 810  | 880  | 947  | 1014 | 1166 | 1301 | 1434             | 1578  | 1814         |
| 48"    | 580     | 645         | 717  | 787  | 860  | 934  | 1011 | 1086 | 1242 | 1382 | 1529             | 1684  | 1934         |
| 54"    | 599     | 676         | 752  | 833  | 911  | 991  | 1073 | 1160 | 1314 | 1465 | 1634             | 1796  | 2067         |
| 60"    | 625     | 712         | 791  | 875  | 956  | 1047 | 1138 | 1228 | 1377 | 1557 | 1737             | 1912  | 2198         |
| 66"    | 648     | 740         | 832  | 922  | 1014 | 1108 | 1211 | 1303 | 1454 | 1651 | 1847             | 2031  | 2336         |
| 72″    | 677     | 773         | 867  | 963  | 1067 | 1171 | 1277 | 1377 | 1529 | 1740 | 1950             | 2144  | 2466         |
| 78″    | 692     | 800         | 901  | 1001 | 1109 | 1221 | 1331 | 1442 | 1600 | 1827 | 2044             | 2249  | 2586         |
| 84"    | 723     | 832         | 934  | 1052 | 1166 | 1281 | 1405 | 1519 | 1682 | 1923 | 2153             | 2369  | 2724         |
| 90"    | 751     | 860         | 975  | 1099 | 1219 | 1349 | 1469 | 1594 | 1761 | 2014 | 2259             | 2485  | 2858         |
| 96"    | 776     | 897         | 1017 | 1144 | 1277 | 1406 | 1539 | 1666 | 1842 | 2107 | 2366             | 2604  | 2994         |
| 102"   | 880     | 1015        | 1147 | 1291 | 1423 | 1549 | 1722 | 1890 | 2017 | 2286 | 2546             | 2801  | 3221         |
| 108"   | 925     | 1065        | 1204 | 1355 | 1491 | 1628 | 1810 | 1984 | 2119 | 2402 | 2677             | 2946  | 3387         |
| 114"   | 979     | 1127        | 1276 | 1434 | 1587 | 1729 | 1919 | 2105 | 2248 | 2546 | 2839             | 3124  | 3593         |
| 120"   | 1048    | 1199        | 1365 | 1534 | 1688 | 1847 | 2048 | 2248 | 2402 | 2724 | 3034             | 3338  | 3840         |
| 132″   | 1204    | 1380        | 1570 | 1764 | 1942 | 2124 | 2356 | 2586 | 2762 | 3133 | 3490             | 3839  | 4414         |
| 144"   | 1384    | 1587        | 1806 | 2028 | 2233 | 2443 | 2710 | 2973 | 3176 | 3601 | 4015             | 4413  | 5078         |
| VALANC |         | CHARGI      | ES   |      |      | 1    | 1    |      |      | 1    | additi<br>box fo | es 93" or wide<br>onal net \$110.0<br>or each order (<br>es per box). | 0 charge per |

### VALANCE SURCHARGES

| SYSTEMS UPGRADE RETAIL SURCHARGES          | Min Width  | Max Width  | Max Height |
|--|------------|------------|------------|
| Safe Wand system: \$60                     | 7.5 inches | 116 inches | 144 inches |
| Cordless system: \$106                     | 20 inches  | 84 inches  | 84 inches  |
| Motorization includes Wand: \$286          | 24 inches  | 116 inches | 144 inches |
| Motorization using Remote: \$530           |            |            |            |
| Single Channel Radio Remote Control: \$127 |            |            |            |
| Multi-Channels Radio Remote Control: \$159 |            |            |            |
| USB 6' Cable with Charger: \$65            |            |            |            |
| Replacement Safe wand: \$176               |            |            |            |
| WiFi Bridge: \$778                         |            |            |            |
| WiFi Hub Stick: \$430                      |            |            |            |

Smallest width available 7.5" exact for a manual SHEERVIEW SHADINGS. Smallest width available 24" exact for Motorized E-Series SHEERVIEW SHADINGS. Fabric Wrapped Headrail comes standard unless asked otherwise.

Shades 93" or wider incur an additional net \$110.00 charge per box for each order (maximum 2 shades per box).

### **ROOM DARKENING**

Bright White (S50PN100D), Beige (S50PN322D), Linen (S50PN125D), Java (S50PN378D), Granite (S50PN823D), Biscuit (S50PN145D), Cornsilk (S50PN414D)

### 2" SHEER SHADE - NON WOVEN | SOLID

Smallest width available 7.5" exact for manual shade Smallest width available 24" exact for Motorized shade

| Height | Width L | Width Up To |      |      |      |      |      |      |      |      |      |                 |      |
|--------|---------|-------------|------|------|------|------|------|------|------|------|------|-----------------|------|
| Up To  | 24"     | 32″         | 36"  | 42"  | 48"  | 54"  | 60"  | 66"  | 72″  | 84"  | 96"  | 108″            | 116" |
| 36"    | 488     | 542         | 599  | 655  | 711  | 769  | 823  | 882  | 1020 | 1138 | 1251 | 1377            | 1584 |
| 42"    | 511     | 571         | 630  | 696  | 753  | 821  | 882  | 943  | 1085 | 1211 | 1335 | 1470            | 1689 |
| 48"    | 540     | 599         | 667  | 733  | 801  | 870  | 942  | 1011 | 1156 | 1286 | 1426 | 1568            | 1802 |
| 54"    | 557     | 629         | 701  | 775  | 850  | 924  | 1001 | 1081 | 1223 | 1365 | 1521 | 1672            | 1923 |
| 60"    | 581     | 663         | 738  | 815  | 891  | 975  | 1058 | 1142 | 1283 | 1450 | 1618 | 1779            | 2046 |
| 66"    | 605     | 691         | 774  | 857  | 943  | 1031 | 1127 | 1213 | 1354 | 1540 | 1720 | 1893            | 2176 |
| 72″    | 630     | 719         | 809  | 897  | 992  | 1090 | 1190 | 1283 | 1426 | 1620 | 1816 | 1998            | 2298 |
| 78"    | 645     | 744         | 839  | 934  | 1032 | 1136 | 1238 | 1345 | 1490 | 1700 | 1903 | 2094            | 2409 |
| 84"    | 671     | 774         | 871  | 979  | 1087 | 1194 | 1310 | 1413 | 1566 | 1790 | 2005 | 2206            | 2537 |
| 90"    | 699     | 801         | 908  | 1022 | 1135 | 1256 | 1366 | 1482 | 1639 | 1876 | 2106 | 2316            | 2662 |
| 96"    | 723     | 836         | 946  | 1065 | 1190 | 1310 | 1431 | 1551 | 1715 | 1961 | 2203 | 2424            | 2787 |
| 102"   | 821     | 943         | 1068 | 1200 | 1324 | 1442 | 1604 | 1761 | 1879 | 2129 | 2372 | 2608            | 2999 |
| 108"   | 861     | 989         | 1121 | 1262 | 1389 | 1516 | 1685 | 1848 | 1974 | 2236 | 2495 | 2744            | 3156 |
| 114"   | 912     | 1050        | 1186 | 1335 | 1478 | 1610 | 1787 | 1961 | 2094 | 2372 | 2645 | 2910            | 3347 |
| 120″   | 887     | 1119        | 1274 | 1428 | 1571 | 1720 | 1907 | 2094 | 2237 | 2537 | 2826 | 3109            | 3576 |
| 132″   | 1019    | 1286        | 1463 | 1641 | 1808 | 1978 | 2193 | 2409 | 2573 | 2918 | 3250 | 3576            | 4112 |
| 144"   | 1172    | 1479        | 1683 | 1889 | 2078 | 2274 | 2522 | 2769 | 2960 | 3354 | 3738 | 4112            | 4728 |
|        |         |             |      |      |      |      |      |      |      |      |      | es 93" or wider |      |

### VALANCE SURCHARGES

box for each order (maximum 2 shades per box). 25 35 45 55 65 75 85 95 105 115 125 135 145 Square Valance Height 3.375"

| SYSTEMS UPGRADE RETAIL SURCHARGES          | Min Width  | Max Width  | Max Height |
|--|------------|------------|------------|
| Safe Wand system: \$60                     | 7.5 inches | 116 inches | 144 inches |
| Cordless system: \$106                     | 20 inches  | 84 inches  | 84 inches  |
| Motorization includes Wand: \$286          | 24 inches  | 116 inches | 144 inches |
| Motorization using Remote: \$530           |            |            |            |
| Single Channel Radio Remote Control: \$127 |            |            |            |
| Multi-Channels Radio Remote Control: \$159 |            |            |            |
| USB 6' Cable with Charger: \$65            |            |            |            |
| Replacement Safe wand: \$176               |            |            |            |
| WiFi Bridge: \$778                         |            |            |            |
| WiFi Hub Stick: \$430                      |            |            |            |

Smallest width available 7.5" exact for a manual SHEERVIEW SHADINGS. Smallest width available 24" exact for Motorized E-Series SHEERVIEW SHADINGS. Fabric Wrapped Headrail comes standard unless asked otherwise.

Shades 93" or wider incur an additional net \$110.00 charge per box for each order (maximum 2 shades per box).

additional net \$110.00 charge per

Shades 93" or wider incur an additional net \$110.00 charge per box for each order (maximum 2

shades per box).

Bright White (S70PN100D), Beige (S70PN322D), Linen (S70PN125D), Java (S70PN378D), Granite (S70PN823D), Royal Blue (S70PN029D), Greek Villa (S70PN114D), Barcelona Beige (S70PN312D), Natural Tan (S70PN321D), Khaki (S70PN303D), Biscuit (S70PN145D), Cornsilk (S70PN414D), Lazy Gray (S70PN822D), Midnight (S70PN06D)

### 3" SHEER SHADE - NON WOVEN | SOLID

Smallest width available  $7.5^{\prime\prime}$  exact for manual shade Smallest width available  $~24^{\prime\prime}$  exact for Motorized shade

| Height | Width U | Width Up To |      |      |      |      |      |      |      |      |      |      |      |
|--------|---------|-------------|------|------|------|------|------|------|------|------|------|------|------|
| Up To  | 24″     | 32″         | 36"  | 42"  | 48"  | 54"  | 60"  | 66"  | 72″  | 84"  | 96"  | 108″ | 116" |
| 36"    | 550     | 610         | 674  | 735  | 800  | 864  | 926  | 992  | 1147 | 1280 | 1408 | 1549 | 1781 |
| 42"    | 574     | 644         | 709  | 782  | 848  | 923  | 992  | 1060 | 1221 | 1363 | 1504 | 1652 | 1901 |
| 48"    | 609     | 676         | 750  | 824  | 901  | 978  | 1058 | 1136 | 1300 | 1447 | 1603 | 1763 | 2027 |
| 54"    | 628     | 708         | 788  | 873  | 956  | 1038 | 1125 | 1215 | 1376 | 1534 | 1711 | 1882 | 2165 |
| 60"    | 655     | 746         | 829  | 917  | 1002 | 1095 | 1193 | 1285 | 1442 | 1632 | 1821 | 2001 | 2302 |
| 66"    | 679     | 775         | 872  | 965  | 1060 | 1161 | 1268 | 1365 | 1522 | 1730 | 1935 | 2128 | 2447 |
| 72"    | 709     | 810         | 909  | 1010 | 1118 | 1226 | 1336 | 1442 | 1603 | 1823 | 2042 | 2248 | 2583 |
| 78"    | 724     | 837         | 943  | 1050 | 1162 | 1280 | 1393 | 1511 | 1675 | 1913 | 2142 | 2355 | 2709 |
| 84"    | 757     | 872         | 978  | 1102 | 1221 | 1341 | 1473 | 1592 | 1761 | 2014 | 2256 | 2482 | 2853 |
| 90"    | 787     | 901         | 1020 | 1152 | 1278 | 1412 | 1537 | 1670 | 1845 | 2110 | 2367 | 2605 | 2995 |
| 96"    | 812     | 940         | 1065 | 1198 | 1336 | 1474 | 1610 | 1745 | 1930 | 2207 | 2480 | 2727 | 3137 |
| 102"   | 923     | 1063        | 1203 | 1351 | 1490 | 1622 | 1804 | 1981 | 2112 | 2394 | 2667 | 2934 | 3373 |
| 108"   | 968     | 1116        | 1261 | 1419 | 1562 | 1706 | 1897 | 2078 | 2220 | 2517 | 2805 | 3085 | 3549 |
| 114"   | 1026    | 1180        | 1335 | 1504 | 1663 | 1812 | 2010 | 2206 | 2354 | 2667 | 2976 | 3273 | 3763 |
| 120"   | 1097    | 1258        | 1430 | 1606 | 1769 | 1935 | 2146 | 2354 | 2517 | 2853 | 3179 | 3498 | 4022 |
| 132"   | 1261    | 1446        | 1646 | 1848 | 2035 | 2225 | 2468 | 2708 | 2894 | 3282 | 3656 | 4022 | 4625 |
| 144"   | 1450    | 1664        | 1892 | 2125 | 2339 | 2559 | 2838 | 3114 | 3328 | 3773 | 4203 | 4625 | 5320 |

### VALANCE SURCHARGES


|  | 25 | 35 | 45 | 55 | 65 | 75 | 85 | 95 | 105 | 115 | 125 | 135 | 145 |  |
|--|----|----|----|----|----|----|----|----|-----|-----|-----|-----|-----|--|
|--|----|----|----|----|----|----|----|----|-----|-----|-----|-----|-----|--|

| SYSTEMS UPGRADE RETAIL SURCHARGES          | Min Width  | Max Width  | Max Height |
|--|------------|------------|------------|
| Safe Wand system: \$60                     | 7.5 inches | 116 inches | 144 inches |
| Cordless system: \$106                     | 20 inches  | 84 inches  | 84 inches  |
| Motorization includes Wand: \$286          | 24 inches  | 116 inches | 144 inches |
| Motorization using Remote: \$530           |            |            |            |
| Single Channel Radio Remote Control: \$127 |            |            |            |
| Multi-Channels Radio Remote Control: \$159 |            |            |            |
| USB 6' Cable with Charger: \$65            |            |            |            |
| Replacement Safe wand: \$176               |            |            |            |
| WiFi Bridge: \$778                         |            |            |            |
| WiFi Hub Stick: \$430                      |            |            |            |

Smallest width available 7.5" exact for a manual SHEERVIEW SHADINGS. Smallest width available 24" exact for Motorized E-Series SHEERVIEW SHADINGS. Fabric Wrapped Headrail comes standard unless asked otherwise.


Shades 93" or wider incur an additional net \$110.00 charge per box for each order (maximum 2 shades per box).

### **MEASURING**




### **INSIDE MOUNT WIDTH (IB)**

- Measure the exact width of the inside edge of the window frame. - Top, Middle, and Bottom.
- Make all measurements to the nearest 1/8th inch, round DOWN for width.
- Take the SMALLEST of the 3 measurements, this is the width that you will order.
- Production department will make the necessary deductions to ensure the shade fits inside your window.



### **INSIDE MOUNT HEIGHT (IB)**

- Measure the exact height from the top inside edge down to the window sill in 3 places. - Left, Middle, Right
- Make all measurements to the nearest 1/8th inch, round UP for height.
- Take the LARGEST of the 3 measurements, this is the height that you will order.



### OUTSIDE MOUNT WIDTH (OB)

- Measure the exact width of the window frame or how wide you would like the shade to be.
- Be sure to measure wide enough to cover the entire Be sure to measure high enough to cover the entire window (and trim if desired) to provide maximum light coverage.
- Example: If the window opening is 36" wide, it might be helpful to order 40" if the space allows. This will provide 2" coverage on each side of the window.
- No deductions/additions will be made to the width ordered

### OUTSIDE MOUNT HEIGHT (OB)

- Measure the height you would like the shade to be by measuring top to bottom.
- window (and trim if desired) to provide maximum light coverage.
- Example: If the window opening is 60" high, it might be helpful to order 64" if the space allows. This will provide 2" coverage on top and bottom of the window.
- No deductions/additions will be made to the height ordered

### MISCELLANEOUS INFORMATION

### CLEANING AND CARE INFORMATION

SHEERVIEW SHADINGS are uniquely low-maintenance, needing only periodic vacuuming on a low setting and occasional feather dusting. The sheer fabric may also be ultrasonically cleaned.

#### FINISHED DIMENSIONS

Once ordered and manufactured, the width of the fabric cannot be altered. The Manufacturer makes deductions to the width of window shadings depending on the type of mounting indicated. For all mounting types, the fabric will measure exactly the length ordered when the vanes are in the open or "view-through" position. When the vanes are rotated to the closed position, the shading will become 3/8" longer.

IB Deductions: Headrail will measure ordered width minus 1/8", fabric will measure ordered width minus 15/16" OB Deductions: Headraill will measure ordered width, fabric will measure ordered width minus 13/16"

#### MEASUREMENT CONSIDERATIONS

When closed on an inside mount, a slight furrow may occur on the lowermost sheer section because of contact with the sill. To compensate, slightly raise the shading until the rail begins to lift off the window sill.

If preferred, the shading can be ordered 3/8" less than the measured height of the window opening. In this case, the bottom rail will be positioned 3/8" above the sill when the vanes are in the open position. Rotating the vanes closed will cause the bottom rail to touch the window sill and thus closing any unwanted space.

#### **HEADRAIL INFORMATION**


#### **INSIDE MOUNT**

Minimum depth for flush inside mount including installation brackets: 3 1/4"

### OUTSIDE MOUNT

Minimum surface area required for mounting: 3/4"

| • |  | > |  |
|---|--|---|--|
|   |  |   |  |



### PRODUCT OPERATION

#### SHADING OPERATION

The SHEERVIEW SHADINGS Horizontal Sheer Shade features a control system with the ability to manipulate the shading into various viewing positions. From the closed and retracted position (fabric inside the headrail), lower the fabric by pulling down on the rear of the cord until you reach the desired shading position. Once lowered completely to the window sill, continuing to pull the cord in the same direction will open the horizontal fabric vanes, offering varied views to the outside. To retract the shading, pull down on the front of the cord until the shading reaches the desired viewing mode or fabric position. Shade will not tilt open unless fully lowered.

#### HARDWARE

#### • Installation Headrail Brackets

Multi-faceted bracket system includes breakaway shims to assist in leveling. The bracket also includes easy release lever.


• Spacer Blocks - Upon Request Only Spacer blocks project the shading 3/8" from the mounting surface. Use spacer blocks to obtain clearance when obstructions, such as window cranks or door handles, obstruct the movement of shading.

#### • Hold Down Brackets - Upon Request Only


Hold down brackets are made of clear plastic that fit into holes on the end-cap of the bottom rail. Hold downs are generally used to secure the base of the window shading to prevent swaying.

### SKEW ADJUSTING BOTTOM RAIL

The SHEERVIEW SHADINGS Horizontal Sheer Shades are leveled and weighed in the factory. When installed level, the fabric will not skew when raised. If the headrail is not installed level, skewing can occur that can damage the edge of the fabric. Be sure to follow the instructions below carefully to ensure correct and balanced operation.



Turn over the bottom rail use a flat head screwdriver to twist both stoppers on the left and right side of the counterweight slide.




Slide the bar to where the counterweight is needed to combat the shifting of the shades. Twist down with a flathead screwdriver on both stoppers in order to re-lock the counterweights.

### **PROGRAMMING INFORMATION**


PLEASE KEEP IN MIND THAT OUR E-SERIES PRODUCTS COME PREPROGRAMMED FROM THE FACTORY SPECIFICALLY FOR YOUR WINDOW HEIGHTS AND TO YOUR MOTOR. THIS INFORMATION SHOULD ONLY BE USED IF THE PROGRAMMING HAS BEEN ACCIDENTALLY ERASED OR AT THE ADVISEMENT OF THE MANUFACTURER. PLEASE UNDERSTAND THAT TECHNICAL SUPPORT IS AT THE DISCRETION OF THE MANUFACTURER IN CASES OF UNAUTHORIZED SYSTEM RESETS.

#### PAIRING A WIRELESS REMOTE (ONLY IF YOUR MOTOR WAS ORDERED WITH THE WIRELESS UPGRADE)

To pair a wireless remote, press and hold the reset button using a paperclip on the back of the wand for approximately 3 seconds looking for the shade to jog once and beep once.




Immediately after the jog and beep press the up button once on your wireless remote and the shade will jog once and beep 3 times confirming pairing success. If using a multi-channel remote make sure to have the desired channel selected prior to starting the process.



#### SETTING/ADJUSTING LIFT HEIGHTS

If the shade has been reset, the lift heights have been reset as well. Use the process below to set new lift heights. If an adjustment needs to be made to existing lift heights the process below is the same except you will need to enter "Adjustment Mode". To enter adjustment mode for the top height, press and hold the Up and Stop buttons together for 10 seconds looking for a single jog. To enter the adjustment mode for the bottom height press and hold the Down and Stop buttons together for 10 seconds looking for a single jog.




#### TOP HEIGHT

Bring the shade to the position at the top nearest to the headrail that you would like to be the top height. You may have to stop the shade manually with the stop button. Press and hold the Up and Stop buttons together for about 3 seconds looking for shade to jog twice and beep once confirming the top height being set. This process can also be performed on the control wand.

#### **BOTTOM HEIGHT**

Bring the shade to the position at the bottom nearest to the window sill that you would like to be the bottom height. You may have to stop the shade manually with the stop button. Press and hold the Bottom and Stop buttons together for about 3 seconds looking for shade to jog twice and beep once confirming the bottom height being set. This process can also be performed on the control wand.



### THE IMPORTANCE OF ORDERING CORRECTLY FROM THE MANUFACTURER

Place your order correctly with the manufacturer to decrease the need for remakes, refunds or returns.

#### **IMPORTANT ORDERING INFORMATION:**

- You must include ACCURATE measurements for the width and height (to the nearest 1/8") of the product
- You must specify IB or OB mounting required of the product
- You must include the color name, and color number
- You must include position of lift LEFT or RIGHT

#### **FABRIC STYLE & COLOR SELECTION**

Woven and Non Woven fabrics come in Light filtering and Room Darkening. Choose from the colors available.

Example Color Number: S50PN100D

• 2″ - S50 2.5" - S65 3" - S70 Non Woven - PN Woven - KN Printed - BN Color # - 100 Room Darkening - D

**REMAKES**: We understand mistakes happen and typically your per-negotiated Oops discount may apply. **REFUNDS**: May be issued at the manufactures discretion.

**RETURNS**: Dealer must contact the manufacturer directly to obtain and return authorization.


| TO FIND YOUR COST |  |             |     |     |     |     |     |     |
|-------------------|--|-------------|-----|-----|-----|-----|-----|-----|
| Height            |  | Width Up To |     |     |     |     |     |     |
| Uр То             |  |             | 24" | 32" | 36" | 42" | 48" | 54" |
|                   |  | 36"         | 410 | 457 | 504 | 550 | 599 | 647 |
|                   |  | 42"         | 429 | 480 | 530 | 585 | 634 | 690 |
|                   |  | 48"         | 455 | 504 | 562 | 616 | 674 | 731 |
|                   |  | 54"         | 469 | 529 | 589 | 652 | 715 | 777 |
|                   |  | 60"         | 489 | 557 | 621 | 686 | 750 | 820 |
|                   |  | 66"         | 508 | 580 | 651 | 720 | 794 | 867 |
|                   |  | 72"         | 530 | 606 | 680 | 755 | 835 | 917 |

After finding your price based on fabric size add any additional upgrade surcharges you are purchasing to total price of the shade.

### MANUFACTURER TERMS AND CONDITIONS

- Catalog prices (USD) and product specifications are subject to change without notice.
- All materials are subject to dye lot variations.
- Manufacturer will not assume responsibility for any color mismatch after subsequent orders.
- For any product the manufacturer performs warranty service on, transportation charges are not included in warranty.
- State Tax Exemption Certificates must be provided and on file for tax exempt sales production.
- There will be a nominal service charge for changes or cancellations made after production has started.

- The manufacturer is not responsible for printing or typographical errors within the catalog, website or other published information.
- Manufacturer currently ships with most major carriers.
- Returns must have an RGA Number and be approved.
- Claims for merchandise shortages, damages or discrepancies must be made within 10 days of the receipt of goods.
- These SHEERVIEW SHADINGS are custom made and cannot be canceled once the order has been made.



### WARRANTY

This Limited Lifetime Warranty program is available to consumers who have purchased blinds and shades by (The Manufacturer). This applies to Fabric Horizontal Blinds, Sheer Shades, Roman Shades, Cellular Shades, Pleated Shades, and painted or stained valances.

This warranty is effective November 1st, 2023. Product bought prior to effective date will be subject to warranty in place at time of original purchase.

#### What the Warranty Covers

The manufactured product is warranted against original defects in materials, workmanship or failure to operate for as long as the **original** purchaser owns the product (unless shorter time periods are provided below) on the conditions that;

- The product was properly installed in a residential or commercial dwelling
- The product was made or assembled exclusively from Lantex USA, LLC. materials and components
- The Manufacturer recommendations were followed regarding limitations and specifications
- The Manufacturer componentry are covered for 5 years
- The Manufacturer motorized components are covered for 2 years

#### Who is Covered

This warranty extends only the ORIGINAL purchaser of the above stated products.

The Manufacturer obligations to the Consumer are limited to the repair or replacement of parts or products found to be defective. The Manufacturer is not responsible for shipping charges or labor costs, for measuring and taking the product down or for remeasuring or reinstalling the product. Defects in product found on arrival must be reported within 10 days of delivery date confirmed by the shipping company. If not the product will be remade at full cost to the consumer.

If repairs are made under this warranty, the repairs will be made with like or similar parts.

#### TO RECEIVE WARRANTY SERVICE, PLEASE:

- 1. Contact our Customer Service department at (605) 999-2267 and advise them of the nature of the issue. Customer Service will provide you with information as to how to proceed.
- 2. Please remember, product returned for warranty claims must be accompanied by the original sales receipt as well as written details regarding the nature of the problem, location of the product, etc.
- 3. All remake requests will need a picture or video supporting the claim before being approved.
- 4. If your product is returned, please retain a copy of the shipping information for your records.

#### What the Warranty Does Not Cover

This warranty does not cover conditions or damages caused by abuse, accidents, alterations, misuse, or failure to follow instructions for measurement, installation, use, cleaning, or maintenance. Normal wear and tear, including but not limited to the items or occurrences below, is not covered by the warranty:

- Batteries.
- Unfinished cornices.
- All fabrics can lose original intensity after long exposure to the sun. When left for extended periods in direct sunlight, plastics tend to yellow or crack. Some loss of color intensity or discoloration may occur in plastic materials or wood finishes.
- Colors may vary from lot to lot and may not exactly match samples of previous purchases.

THE MANUFACTURER CONSIDERS THESE ITEMS OR OCCURRENCES NORMAL WEAR AND TEAR, AND THEY ARE NOT COVERED BY THIS WARRANTY. THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WRITTEN OR ORAL WARRANTIES OR OBLIGATIONS AND LIABILITIES. NO PERSON IS AUTHORIZED TO EXTEND OR ALTER THIS WARRANTY. THE MANUFACTURER SHALL HAVE NO LIABILITY WHATSOEVER FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES. SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU.

# Sheerview Shadings



(605) 999-2267

www.westernwc.info

orders.westernwc@gmail.com

2024